FOOD ESTABLISHMENT PLAN REVIEW APPLICATION Branch-Hillsdale-St. Joseph Community Health Agency

Branch County Office: 570 N. Marshall Road Coldwater, MI 49036 (517) 279-9561 ext. 106 FAX (517) 278-2923 Hillsdale County Office: 20 Care Drive Hillsdale, MI 49242 (517) 437-7395 ext. 331 FAX (517) 437-0166 St. Joseph County Office: 1110 Hill Street Three Rivers, MI 49093 (269) 273-2161 ext. 233 FAX (269) 273-2452

Please submit the plan review fee made payable to: Branch-Hillsdale-St. Joseph Community Health Agency

	Please check one:	NEW ((\$550.00)	_REMODEL (\$270.00)
	od Establishment			
Address:			City:	
Telephone:_				
Name of Ow	/ner:			
Mailing Add	lress:			
City:		State:		ZipCode:
Telephone:_			Email:	
Contact pers	son:			Title:
Mailing Add	lress:			
City:		State:		ZipCode:
Telephone:_				
Projected Da	ate for Start of Project:			_
Projected Da	ate for Completion of Pro	oject:		
I have subm	itted plans/applications t	o the fo	llowing autho	rities on the following dates:
	Plumbing		Electric	
	Zoning/Planning _		State Mec	chanical (Plans for Exhaust Hood)
	Building		Health De	epartment (Septic & Well Permit)

Food Establishment Plan Submittal Instructions

Congratulations! You are proposing to build or remodel a food establishment in Michigan. Submit your plan review package to the local health department or Michigan Department of Agriculture regional office that will be conducting the plan review. All of the following items must be completed and compiled into a single package or the plan review may get delayed as additional material is requested. For further information, see the plan review manual.

1. Application

2. Any necessary plan review fees. Contact your local health department or regional MDA office for the applicable fee.

3. Completed Plan Review Worksheet

• Worksheet and guidance manual copies are available from any health department, MDA Regional Office or on the web at: <u>http://www.michigan.gov/mda</u>, keyword: <u>Food Plan Review - Industry</u>.

4. Menu

• If your facility does not have a formal, set menu, such as a school with a rotating menu, submit representative sample menus or a list of foods offered for sale or service.

5. Standard Operating Procedures (SOP's)

 Include a copy of any available standard procedures your operation will use regarding employee health, employee practices, hand washing, cleaning, and utensil washing. You may submit an inventory if there are numerous large documents, and training videos. Special Transitory Food Units (STFU's) must submit a SOP.


6. One Complete set of plans. (note: some local health departments require two sets of plans). Provide scaled plans (1/4" per foot is a normal, easy to read scale). Show:

- Proposed layout, with equipment identified. Label sinks and prep tables with their intended use.
- Mechanical plan (i.e. make-up air systems, air balance schedule and cooking ventilation systems: including hood, duct and exhaust fans).
- Plumbing: hand sinks, food preparation sink, dishwashing sinks and machines, water supply piping, hot water equipment, sewer drains, grease traps and floor sinks.
- Construction materials of such items as custom cabinets and any other built-in items.
- Interior room finish schedules.
- Lighting plan, indicating which lights are shielded.
- Site Plan, including:
 - •Details of outside garbage storage area and containers, as well as exterior storage areas.
 - •On-site water well and sewage disposal system data

7. Specifications

- Include manufacturer's specifications for each piece of equipment. Minimum information for each piece of equipment includes the following (note: the manufacturer's specification or "cut" sheet typically provides most of this information):
- Type
- Manufacturer
- Model number
- Dimensions
- Performance capacity
- Indicate how equipment will be installed (i.e. on leg or wheels, fixed or flexible utility connections)
- Indicate which items are used equipment and what equipment is NSF approved or equivalent.
- Sanitation Standard Operating Procedures (SSOP'S): Include any available cleaning and maintenance instructions for food processing, cutting and grinding equipment.

Plan Review Process



General Information

Seating Capacity (include bar)	:	Facility Size (square feet): Maximum staff per shift:				
Minimum staff per shift:						
These plans are for a: New establishment Remodeling Conversion						
Will part of the operation be ou	utdoors (bar, dini	ng, storage, co	ooking, etc.)?YesNo			
If yes, explain:						
Type of Operation (check all	that apply)					
A. Restaurant Related Sit down meals Counter Cafeteria Fast food Bar with food prep	Commissary Church Take out me Catering Mobile venc	enu	Buffet or salad bar Tableside / display cooking Hospital Bottling alcoholic beverages Special transitory food unit			
B. Grocery Related Grocery store Fresh Meat Seafood / fish Deli Ice production / packaging Produce	Produce pro Smoked fish Bakery Commissary Self-service Self-service	n y ⊧bulk items	Wholesale foods Repackage / processor of: Water bottling Bottling alcoholic beverages			

I certify that the plan review application package submitted is accurate to the best of my knowledge.

Signature of owner or representative

_____ Date _____

Please print name and title here

Food Manager Knowledge

Under the Michigan Food Law of 2000, retail food establishments are required to have a person in charge (PIC) during all hours of operation.

1. Check all that apply

infected cuts or lesions.* (OPTIONAL)

A designated person in charge, that can demonstrate knowledge of: foodborne disease prevention, application of food safety (HACCP) principles, and the requirements of the Food Code, will be available during all hours of operation. (REQUIRED)

 A certified food manager will be provided. (REQUIRED in Wayne, Oakland & Livingston Counties)	 A written food safety (HACCP) plan will be provided.* (Only required under certain circumstances)
 Standard operating procedures (SOP) for hand washing, utensil washing or cleaning are available. * (May be required for fixed establishments. Required for all STFU's)	 Formal training program for new or existing staff will be provided.* (OPTIONAL)
 There is a <u>written</u> policy that excludes or restricts food workers who are ill or have	 Animal based foods, such as meat, poultry, fish, shellfish or eggs served

* Please submit copies of these documents (or an inventory if there are numerous large documents, and training videos)

raw, or undercooked or not otherwise processed to eliminate pathogens.**

**If you checked this item, then the customer must be informed by means of a written disclosure, at the point of ordering, that a particular menu item contains raw or undercooked foods of animal origin and a reminder that identifies the increased risk of foodborne illness when consuming these foods. The disclosure and reminder must be made whether the food is normally prepared undercooked or is prepared undercooked only at the customer's order. <u>Submit a copy of the disclosure and the reminder and state how it will be conveyed to the consumer.</u> For further clarification please contact your reviewing health agency or read the consumer advisory guidance document at http://www.michigan.gov/mda, keyword: MFLeduc,

Food Preparation Review

See manual parts 1 & 3

2. How Will Potentially Hazardous Food be Thawed? (Check all that apply)

Thawing Method	Foods less than 1" thick	Foods more than 1" thick
Refrigeration		
Running water (less than 70°F)		
Microwave as part of cooking process		
Cook from frozen		
Other:		

3. Cooking & Reheating Potentially Hazardous Food:

List all cooking & reheating equipment and check all applicable boxes.

Equipment Name	Cooking	Reheating	New	Used	NSF Approved or Equivalent

4. Hot and Cold Holding of Potentially Hazardous Food

List all hot & cold holding equipment and check all applicable boxes.

Equipment Name	Hot Holding	Cold Holding	New	Used	NSF Approved Or Equivalent
	Tiololing	riolaling			Or Equivalent

5. Will ice be used as a refrigerant for potentially hazardous foods? <u>Yes</u> No If yes, describe which foods will be held on ice, for how long, where this will occur and the source of the ice.

6. Will time be used for bacterial growth control, instead of hot or cold holding? ____Yes ____No If yes, submit a list of the foods involved and the standard operating procedures that will be used to monitor the use of time as a control.

7. **Cooling Potentially Hazardous Food:** <u>List foods</u> that will be cooled using each of the following methods. Foods must be cooled to 41°F within 6 hours (140°F to 70°F in 2 hours and 70°F to 41°F in 4 hours). More than one method may be used.

A. Shallow pans in refrigerator:	
B. Ice baths:	·····
C. Volume reduction (i.e. quartering a large roast): _	
D. Rapid chill devices (i.e. blast freezers):	
E. Ice paddles:	
F. Other:	
 8. Food Preparation A. List foods that will be prepared a day or more in 	advance of service or sale.
B. How will employees avoid bare-hand contact with	ready-to-eat foods? (Check all that apply)
Disposable gloves	Suitable utensils
Deli tissue	Other:
C. Will produce be cleaned on-site?	YesNo
D. If C is yes, describe which sink(s) will be used for	food preparation.
Date Marking: When potentially hazardous food is for more than 24 hours after preparation / opening, a	
E. Will the establishment have food items that must If yes, describe the date marking system that will be standard operating procedures.	
 9. Catering/Off-Site/Satellite: complete if establish A. List menu items to be catered: 	ment will cater foods to another location.
B. Maximum number of catered meals per day will	be
C. How will <u>hot</u> food be held at proper temperature location?	

- 9. Catering/Off-Site/Satellite Continued
- D. How will <u>cold</u> food be held at proper temperature during transportation and at the remote serving location?
- E. What types of vehicles will be used to transport food?
- F. What types of sneeze guards or food protection devices will be used? (See manual part 4)

Dishwashing See manual part 8

10. Dishwashing methods (check all that apply)	Dishmac	hine Sink	
Dishwashing Sinks	Length (inches)	Width (inches)	Depth (inches)
A. Sink 1, Size of compartments			
B. Sink 2, Size of compartments			
C. Sink 3, Size of compartments			
D. What is the largest item that will have to be	e washed in a sink	and its size?	
E. List the location of all garbage disposals:			
 Will employee dressing rooms be provide See manual part 16. If no, describe how personal belongings v 		Yes _	No
13. Check which of the following will be used	on-site:	Washer	Dryer
14. Describe what will be laundered on-site:			
15. What type of mop sink will be provided (i.e	e. curbed floor drai	in, mop sink on legs, e	etc)? See

manual part 8.

Room Finish Schedules Fill in materials to be used (See manual part 10)

Area	Floor	e used (See manua Coving*	Wall	Ceiling
16. Preparation				
17. Cooking				
18. Dishwashing				
19. Food Storage				
20. Bar				
21. Dining				
22. Employee Restrooms				
23. Dressing Room				
24. Walk-In Refrigerator				
25. Walk-In Freezer				
26. Garbage Room				
27. Janitor Closet				
28.				
29.				
30.				

*List the material that will be used to provide a smooth, rounded and cleanable surface where the floor and wall joins.

Note: please explain abbreviations.

Water Supply

	See manual par	t 5	
31. Will the water supply be:	Municipal	Existing on-site	New on-site
32. If an on-site water supply is being	g used, is the local		
health department in the process	of approving?	Yes	No*
	Sewage Disp	osal	
	See manual par	t 5	
33. Will the sewage disposal be:	Municipal	Existing on-site	New on-site

 33. Will the sewage disposal be:
 Municipal
 Existing on-site
 New on-s

 34. If an on-site sewage system is being used, is the local health department or Michigan Department of Environmental Quality in the process of approving?
 Yes
 No*

* It is recommended that you contact your local health department to begin the approval process.

Insect and Rodent Control

See manual part 13			
35. Will outside doors be self-closing?		Yes	No
36. Will the facility have a drive-thru or walk-up window?		Yes	No
37. If 36 is yes, describe how insects will be kept out (i.e. self-closer, air cl	urtains, e	etc.)	
38. Are other openable windows screened?	NA	Yes	No
39. Will openings around pipes, electrical conduits, chases and other wall perforations be sealed?		Yes	No
40. Will garage-style or loading bay doors be present?		Yes	No
41. If 40 is yes, how will the loading doors be protected against vermin en	try?		
Solid Waste Storage See manual part 17			
42. Outside Storage A. What type of storage will be used?*Compactor*	Dui	mpster* _	Cans
B. What type of surface will be under the container?			
C. What is the minimum pick-up frequency?			
*Remember to show details on site plan, including unit location and slope	of surfa	ce under the	unit.
 43. Inside Storage A. Please <u>SHOW</u> locations of trash containers on floor plans and <u>describ</u> will be stored inside:			es, etc.
B. Describe any inside storage or cleaning area (i.e. garbage can cleaning	ng area):		
C. Will any compactors or dumpsters be located inside? If yes, show on	plans.	Yes	No
D. Describe any area where damaged merchandise returned for credit to	vendor	will be store	d:
E. Describe how waste grease will be handled and stored:			
F. Describe how and where recyclables will be stored:			
G. Check the types of materials that will be recycled:			

____Glass ____Metal ____Paper ____Cardboard ____Plastic

Plumbing Cross-Connections

See manual part 12

The following technical information is needed on the proposed plumbing. This section is best completed by a qualified plumber, architect or engineer. Be sure to include all devices, equipment and fixtures that have cross-connection protection. Remember to complete both the water supply and waste side (i.e. a dishwasher may have an AVB on the water supply and an air-gapped drain).

Fixture		wage Dispo			Water Supply				
	Air Gap	Air Break	Direct Connect	AVB	PVB	RPZ	VDC	HB	Air Gap
44. Dishwasher									
45. Glasswasher									
46. Garbage grinder									
47. Ice machines									
48. Ice storage bin									
49. Mop sink faucet									
50. 3 compartment sink									
51. 2 compartment sink									
52. 1 compartment sink									
53. Steam tables									
54. Dipper wells									
55. Hose connections									
56. Refrigeration									
condensate drain lines									
57. Beverage dispenser									
with carbonator									
58. Water softener									
59. Potato peeler									
60. Walk-in floor drain									
61. Chinese range									
62. Detergent feeder on									
faucet									
63. Outside sprinkler or									
irrigation system									
64. Power washer									
65. Retractable hose reel									
66. Toilet									
67. Urinal									
68. Boiler									
69. Bain-marie									
70. Espresso machine									
71. Combi-style oven									
72. Kettle									
73. Rethermalizer									
74. Steamer									
75. Overhead spray rinse									
76. Hot water dispenser									
77.									
78.									
AVB = atmospheric vacuum	n breaker			HB =	hose bi	b vacu	um brea	aker	
PVB = pressure vacuum br				VDC = vented double check valve					
RPZ = reduced pressure pr		kflow prever	nter						

Formula Information

Several calculations are required to determine if there will be adequate hot water, ventilation, dry storage space and refrigerated storage space. The information requested on the following two pages provides the necessary data for performing calculations. See the plan review manual for formulas and directions.

79. Hot Water (see manual part 9)				
List each type of plumbing fi	xture that uses hot water	# fixtures		
Handsinks				
Bathroom Sinks				
1 Compartment Sink				
2 Compartment Sink				
3 Compartment Sink				
Vegetable Sink				
Overhead Spray Rinse				
Bar Sink 3 compartm	ent4 compartmer	nt		
Cook Sink				
Hot Water Filling Faucet				
Bain-marie				
Coffee Urn				
Kettle Stand				
Garbage Can Washer				
9 & 12 lb. Clothes Washer				
16 lb. Clothes Washer				
Employee Shower				
Mop Sink				
Dishmachine hot water chemica	I			
Dishmachine Make & model:				
Other:				
Other:				
80. Water Heater #1 Manufacturer:	ectric KW	Model number:		
A. Hot water heater proposed size: Ele		Thormal Efficiency: 0/		
B. Hot water heater storage capacity:	as BTU's	Thermal Efficiency:%		
C. Hot water heater recovery rate:	gallons gallons per hour	(@100º rise)		
0. Not water heater recovery rate.	gallolis per hour			
Attach information for any additional wa	ater heaters. Specify what	area each water heater		
services and whether or not units will b				
	F			
81. Do hot water heater(s) serve any non-f	ood equipment areas? If ye	s describe:		
		·····		
82. Dishmachine Booster Heater	_KWBTU Make _	Model #		
83. Refrigerated and Dry Food Storage (see manual parts 3 & 7)				
It is <u>essential</u> that a reliable estimate be made of the number of customers that are served or buy food				
between deliveries, in order to calculate dry and refrigerated storage capacities.				
A. # meals or people served per day = B. # days between deliveries =	Dry Food	Pofrigorated Itama		
C. # meals between deliveries =	Dry Food Dry Food	Refrigerated Items Refrigerated Items		
0. # meais between deliveries (AXD -)				

83. (cont'd.) Please describe any assumptions made in determining the meal quantity estimate:

84. Refrigerated Storage (see manual part 3)

Walk-in Item #	**Interior Usable Height (ft)	Interior Length (ft)	Interior Width (ft)

*Upright Item #	Interior Depth (in)	Interior Width (in)	Interior Height (in)	

*Working, preparation and line refrigerators should not be included. Only storage units.

85. Dry Storage (see manual part 7)

Storage Rooms*

**Usable room height (ft)	Interior Length (ft)	Interior Width (ft)	

*Please note the location of any auxiliary storage (i.e outside storage).

**To determine usable height, determine height from floor to ceiling, then subtract height of food off floor (usually 6") and height of food from ceiling (usually 12-18").

Or if there is no dry storage room proposed

For full height shelves

Total Shelving Length (ft)	Shelving Width (ft)

86. Ventilation Air Balance Schedule (see manual part 15)

Make-up air unit #	CFM*	Ventilation exhaust hood # or name	CFM*
		Toilet exhaust	
		Other exhaust	
Total Make-Up Air		Total Exhaust	

*CFM=cubic feet per minute